

Libero DUD



Quickinfo

GENERAL

Outdoor Lighting-wall light
 wall surface mounting
 IP65
 driver on board
 220-240 V 50/60Hz
 ETI
 Shinland
 Die-casting aluminum

COLOUR

● Grey ● Black

ERP LABEL

DOBAC Libero DUD
LED

This luminaire contains built-in LED lamps

A++
A+
A
~~B~~
~~C~~
~~D~~
~~E~~

} L
 E
 D

The lamps cannot be changed in the luminaire

847/2012



Purchase Code	Luminaire Power [W]	Luminaire Lumen [lm]	Color Temperature [K]	Beam Angle [°]	CRI [Ra]
5303.024.030.3000.80	4x6	4x420	3000	40	>80
5303.032.030.3000.80	4x8	4x560	3000	40	>80
5303.060.040.3000.80	4x15	4x1050	3000	40	>80



Sample image

Libero DUD





5303.024.030.3000.80

Packing Info

24pcs / ctn

G.W. 22.60kg

ctn size 440x330x350 mm





5303.032.030.3000.80

Packing Info

12pcs / ctn

G.W. 12.52kg

ctn size 440x290x350 mm





5303.060.040.3000.80

Packing Info

6pcs / ctn

G.W. 17.98kg

ctn size 500x290x358 mm



Libero DUD



LIBERO FAMILY

Libero SUD

Libero SU

Libero DUD

Libero SUD
5303.024.030.3000.80



Libero SUD
5303.032.030.3000.80



Libero SUD
5303.060.040.3000.80



Libero SU
5302.008.030.3000.80



Libero SU
5302.010.030.3000.80



Libero SU
5302.020.040.3000.80



Libero DUD
5302.008.030.3000.80



Libero DUD
5302.010.030.3000.80



Libero DUD
5302.020.040.3000.80

